

FontisLight Co., Limited
5/F, Block C, Sanhe industrial Park, Yingrenshi Village,
Shiyan Town, Bao'an District, Shenzhen, 518108
Tel: 0086-755-86597835 Fax: 0086-755-86597836
Email: info@fontislight.com

Aluminum Profile Pricelist 2019

PART NO	PICTURE	SECTION SIZE	PRODUCT DESCRIPTION	
FL-ALP045-S1		50	Recessed Aluminium LED profile with dropped cover (15mm long): Option: PC Frosted cover	
Accessories	-			
	Aluminum Endcap	Clips	180degree Connector	
FL-ALP046-S1		50 39 05	Aluminium LED profile without flange,as pendent light. With dropped cover 15mm long Option: 1),PC Frosted cover, Installation:Suspended or Surface	
Accessories	2		D	
	Aluminum Endcap	Clips	Hanging Wires	180degree Connector
FL-ALP047-S2		75 64 17 8	Recessed Aluminium LED profile with dropped cover(15mm long), Option: 1),PC Frosted cover Installation:Recessed	
Accessories				
	Aluminum Endcap	Clips	180degree	Connector
FL-ALP048-S2		75 64 64 68	Aluminium LED profile without flange,as pendent light.With dropped cover 15mm long Option: 1), PC Frosted cover Installation:Suspended or Surface Mounted	
Accessories			D	4. 4. 4. 4. 4.
	Aluminum Endcap	Clips	Hanging Wires	180degree Connector
FL-ALP6535		50 1 18.5 39 65	2inches Recessed Aluminium LED profile Option: 1),PC Frosted cover Installation:Recessed	
Accessories	Aluminum Endcap	Clips	180degree	Connector
	"T "Type Connector	"+" Connector	"L" Connector	

FL-ALP6535-S		50 18.5 39 39 65	2inches Recessed Aluminium LED profile with dropped cover (15mm long), Option: 1),PC Frosted cover Installation:Recessed	
Accessories				
	Aluminum Endcap	Clips	180degree Connector	
FL-ALP5035		50 2 18.5 38	Aluminum LED Profile with dropped Cover, Option: 1), PC Frosted Cover	
	1	No.	O	
Accessories	Aluminum Endcap	Clips	Hanging Wires	180degree Connector
	L connector	T Type Connector	"+" Connector	
FL-ALP5035-S		o ly - 39 - ly	Aluminum LED Profile with dropped Cover, Option: 1), PC Frosted Cover	
Accessories	2 - 2		D	100000000 100000000
	Aluminum Endcap	Clips	Hanging Wires 3 inches Recessed Aluminium	180degree Connector
FL-ALP9035	VIII.	75 18.5 18.5 18.5 9 64.2 90	Option: 1),PC Frosted cover Installation:Recessed	
			(a) a (a) b	
Accessories	Aluminum Endcap	Clips	180degree Connector	"L" Connector
Accessories				
	-			
	T Type Connector	"+" Connector		
FL-ALP9035-S	T Type Connector	75 75 18.5 18.5 18.5 18.5 18.5 18.5 18.5 18.	3 inches Recessed Aluminiu cover (15mm long), Option: 1),PC Frosted cover Installation:Recessed	m LED profile with dropped
FL-ALP9035-S Accessories	T Type Connector	75 185 185 185 P	cover (15mm long), Option: 1),PC Frosted cover	m LED profile with dropped

FL-ALP7535		75 18.5 18.5 18.5 18 64.2	3 inches Aluminium LED profile for pendent light, Option: 1),PC Frosted cover	
	1		D	DESCRIPTION OF THE PERSONS ASSESSMENT
Accessories	Aluminum Endcap	Clips	Hanging Wires	180degree Connector
Accessories				
	L connector	T Type Connector	"+" Connector	
FL-ALP7535-S		75 18.5 18.5 18.5 P	Aluminium LED profile with dropped cover, Option: 1),PC Frosted cover	
Accessories			Q	
	Aluminum Endcap	Clips	Hanging Wires	180degree Connector
FL-ALP3872	France.	38 38 38 22 22	1.5 inch Aluminium LED profile as pendent light, Option: 1),PC Frosted cover Installation:Recessed or surface mounting	
Accessories			D	DESIGNATION OF THE PROPERTY OF
FL-ALP3875-S	Aluminum Endcap	Clips 38.1 [15.5] 2 [15.5]	Hanging Wires 1.5 inches Aluminium LED profile for pendent light, with dropped cover 20mm long Option: 1),PC Frosted cover Installation:Pendent or Surface Mounting	
Accessories	I		D	0 0 0
	Aluminum Endcap	Clips	Hanging Wires	180degree Connector
FL-ALP5075		50 10 11 11 11 11 11 12 14 14 15 16 17 17 17 18 18 18 18 18 18 18 18 18 18	2 inches Aluminium LED profile for pendent light, Option: 1),PC Frosted cover Installation:Pendent or Surface Mounting	
Accessories	Endcap	Clip	Internal Clip	Trimless Clip
Accessories	Endcap	Clip	Internal Clip	Trimless Clip

FL-ALP5075-S		50 11.11.11.11.11.11.11.11.11.11.11.11.11.	2 inches Aluminium LED profile for pendent light, with dropped cover 20mm long Option: 1),PC Frosted cover Installation:Pendent or Surface Mounting	
Accessories		No.		D
	Aluminum Endcap	Clips	Internal Clip	Hanging Wire
FL-ALP5075-C	The Park	50 50 18.5 27.1	2 inches Aluminium LED profile with regressed cover, Option: 1),PC Frosted cover Installation:Pendent or Surface Mounting	
			D	b 4 0 0
	Aluminum Endcap	Clips	Hanging Wires	180degree Connector
Accessories				
	L connector	T Type Connector	"+" Connector	
FL-ALP7575		75	Aluminium LED profile for pendent light, Option: 1),PC Frosted cover Installation:Pendent or Surface Mounting	
			1	D
Accessories	Aluminum Endcap	Clips	Internal Clip	Hanging Wire
Accessories				-
	180degree Connector	L connector	T Type Connector	"+" Connector
FL-ALP7575-S		75 16.5 16.5 16.5	Aluminium LED profile for pendent light, with dropped cover 20mm long Option: 1),PC Frosted cover Installation:Pendent or Surface Mounting	
Accessories			1	O
	Aluminum Endcap	Clips	Internal Clip	Hanging Wire

FL-ALP10075	2	100 2 3 1 1 1 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2	4 inches Aluminium LED prot Option: 1),PC Frosted cover Installation:Pendent or Surfa	
				D
Accession	Aluminum Endcap	Clips	Internal Clip	Hanging Wire
Accessories			غ الناب	
	180degree Connector	L connector	T Type Connector	"+" Connector
FL-ALP6875		50 50 50 50 50 50 50 50 50 50	2inches Recessed Aluminiun Option: 1),PC Frosted cover Installation:Recessed	n LED profile
	3.			4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 -
	Aluminum Endcap	Internal Clip	Fixing Clip	180degree Connector
Accessories				
	L connector	T Type Connector	"+" Connector	
FL-6875-S		50 111 18.5 27.4 68	2inches Recessed Aluminiun cover, Option: 1),PC Frosted cover Installation:Recessed	n LED profile with dropped
Accessories				
	Aluminum Endcap	Internal Clip	Fixing Clip	180degree Connector
FL-ALP9575		75 5 20 20 20 20 20 20 20 20 20 20 20 20 20	3inches Recessed Aluminiun 1),PC Frosted cover Installation:Recessed	n LED profile Option:
	Aluminum Endcap	Internal Clip	Fixing Clip	180degree Connector
Accessories				
	L connector	T Type Connector	"+" Connector	

FL-ALP9575-S		75 2112 pt 2 18.5 18.5 \$	Recessed Aluminium LED pr 20mm long, Option: 1),PC Frosted cover Installation:Recessed	ofile with dropped cover
Accessories				* * * * * * * * * * * * * * * * * * *
	Aluminum Endcap	Internal Clip	Fixing Clip	180degree Connector
FL-ALP12575		100 2	4 inches Recessed Aluminium inside 1),PC Frosted cover Installation:Recessed	m LED profile, driver built Option:
	Aluminum Endcap	Internal Clip	Fixing Clip	180degree Connector
Accessories				
	L connector	T Type Connector	"+" Connector	
FL-ALP12335		40 2 77.5 101.4 123	4inches Recessed Aluminiun outside,Option: 1),PC Frosted cover Installation:Recessed	n LED profile ,driver
	1.			
	Aluminum Endcap	Fixing Clip	180degree Connector	L connector
Accessories				
	T Type Connector	"+" Connector		
FL-ALP8585		92 44 % MEJUL	Indirect Light 3.5inches Aluminium LED profile as pendent light 1),PMMA opal matte diffuser, 2),PMMA semi-clear matte diffuser, 3),PMMA clear diffuser 4),PC diffused cover	
Accessories				
	Aluminum Endcap	Internal Clip	Fixing Clip	Safety Rope
FL-ALP15023		2 33 33 33 33 33 33 33 33 33 33 33 33 33	Direct light and Indirect light 6inches Aluminium LED prof Option: 1),PC Frosted cover Installation:Pendent	

Accessories		D	
	Endcap	Hanging Wires	

FL-ALP6545-C		50 36.4 18.5	2 inches Aluminium LED profile with regressed cover, Option: 1),PC Frosted cover Installation:Pendent or Surface Mounting	
Accessories				
	Endcap	Clips	180degree Connector	
FL-T60		19.5	Round Aluminum Profile for LED Pendent Light: Diameter:60MM	
Accessories			D	
	Endcap	Metal Clip	Hanging Wires	
FL-T100		as as	4 Inches Diameter Aluminum Tube for pendent light, Option: 1),PC Frosted cover Installation:Pendent Or Surface Mounting	
Accessories	0)	10		
	Endcap	Hanging Wires	Metal Clip	
FL-ALP1806		18 9	Super Slim Aluminum Profile For Benable Using Option: 1),Opal PC Cover Installation: Surface Mounting Benable Aluminum Profile	
Accessories	99			
	Endcap	Metal Clip		
FL-ALP068-S		13 10.5 2	Recessed Aluminium LED profile for drywall use, with holes on the flange Option 1), Opal PC Cover	
Accessories	Endcap			
FL-ALP069-S	Ordin.	10.5 & & & & & & & & & & & & & & & & & & &	Recessed Aluminium LED profile for inside corner, for drywall use, with holes on the flange , Option 1), Opal PC Cover	
Accessories	Endcap			
FL-ALP070-S		50.6 13.1 10.5	Recessed Aluminium LED profile for outside corner, for drywall use, with holes on the flange Option: 1), Opal PC Cover	
Accessories	Endcap			
L	<u> </u>	<u> </u>		

FL-ALP071		61.5 20.7 28.5	Aluminium LED profile with long flange,recessed in the drywall or ceiling Option: 1), Opal PC Cover	
Accessories	Endcap		1	
FL-ALP078			Aluminium LED profile with fi drywall Option: 1),PC diffused cover, Installation:recessed	lange, recessed in 12.5mm
Accessories	Endcap	Fixing Holder		
FL-ALP086) 133.8	15.5	
Accessories	Endcap	90degree connector	120degree Connector	180degree Connector
FL-ALP087		33 13 10.5 9	Aluminium LED profile whith flange, recessed into 10mm tile or marble, Option: 1),PC diffused cover, Installation:recessed	
Accessories	Endcap			
FL-ALP088	义占	56.3	Aluminium LED profile whith flange, recessed into 10mm tile or marble, Inside Corner Option: 1),PC diffused cover, Installation:recessed	
Accessories	Endcap			
FL-ALP089	The second second	39.4	Aluminium LED profile whith flange, recessed into 10mm tile or marble, Outside Corner Option: 1),PC diffused cover, Installation:recessed	
Accessories	Endcap			
FL-ALP104		25	Aluminium LED profile, 1inch suface or pendent ,Option: 1),PC diffused cover Installation:Surface or Pendent	
Accessories	Endcap	90degree connector	120degree Connector	180degree Connector
FL-ALP105		25 13.2	Aluminium LED profile, 1i recessed ,Option: 1),PC diffused cover Installation:recessed	nch
Accessories	Endcap	90degree connector	120degree Connector	180degree Connector
	634	25	Aluminium LED profile, 1inch suface or pendent ,Option: 1),PC diffused cover , Dropped Installation:Surface or Pendent	
FL-ALP106		13.2	suface or pendent ,Option: 1),PC diffused cover , Droppe	ed

		I	Ī	
FL-ALP107		25.4	Aluminium LED profile, 1inch Pendent, Direct or Indirect ,Option: 1),PC diffused cover Installation:Surface or Pendent	
Accessories	Endcap			
FL-ALP108		25.4 17.4 16.1	Aluminium LED profile, 1inch Pendent, Direct or Indirect Option: 1),PC diffused cover, Dropped Lens Installation:Surface or Pendent	
Accessories	Endcap			
FL-ALP109		25. 4	Aluminium LED profile, 1 inch slim Option: 1),PC diffused cover Installation:Surface or Recessed	
Accessories	Endcap	90degree connector	120degree Connector	180degree Connector
FL-ALP111		25. 4	Aluminium LED profile Option: 1),PC diffused cover Round Lens Installation:Surface or Pendent	
Accessories	EndcapUSD0.6/Pair	90degree connector	120degree Connector	180degree Connector
FL-ALP111-S		25. 4	Aluminium LED profile 1inch Option: 1),PC diffused cover Square Lens Installation:Surface or Pendent	
Accessories	Endcap	90degree connector	120degree Connector	180degree Connector
	, und	50 28.4 18.4 49.4 80	Aluminium LED profile with regressed cover, light down and up Option: 1),PC Frosted cover Installation:Pendent or Surface Mounting	
FL-ALP5090		18.4		ce Mounting
FL-ALP5090 Accessories		SLITE 18.4		ce Mounting